

# SL20SV SLIDING CONTROL



Uni-Blinds®

Innovation comes built-in

# SLIDING VENETIAN CORDLESS CONTROL



The SL20SV integrated Venetian blind provides a smart solution for any window and door with its clever slider controlling all the blind functions in one easy device.

Based on the technically superior Screenline® integral blind system from globally renowned manufacturer Pellini, the SL20SV provides a slicker overall visual result with no cords on the face of the glass. Like all Screenline® blinds, the SL20SV sliding system represents the highest quality and operational reliability of any integral blinds.


The blind is encapsulated within the two glass panes of a double glazed unit, with thermal efficiency optimised thanks to a warm edge spacer bar as standard.



# BENEFITS OF THE SV SYSTEM

## SV System: The Benefits

- Closed-loop belt transmission system allows a smooth and long-lasting function of the blind
- External magnetic slider is treated with the Sanitized® patented antibacterial finish, providing a long-lasting protective function
- Patented warm edge spacer bars and a premium quality plastic side profile combine to maximise energy performance of the insulating glass unit
- Fully compliant with child safety standards
- Requires only one device to raise and tilt the slats



# HOW THE SL20SV OPERATES

^ RAISING

v LOWERING

↙ ↘ TILTING

The SL20SV is operated by a cleverly-designed magnetic slider, placed on the right or left-hand edge of the glass. A narrow adhesive transparent profile ensures the linear movement of the slider. The blind is raised and lowered by moving the slider up or down and is tilted by slightly lifting or lowering the same slider.



Protected with  
**SANITIZED®**  
Active biocidal  
substance: silver ions.



# ADD A SPLASH OF COLOUR

Our Venetian Uni-Blinds® are designed to match any home. With 14 colours to choose from we're certain there is one perfect for you.

## SLAT COLOUR

 <p><b>S102</b>  <b>S102 WHITE</b>            Solar reflection 70%            Light reflection 78%            Solar absorption 30%  <i>Standard colour</i></p>	 <p><b>S106</b>  <b>S106 YELLOW</b>            Solar reflection 62%            Light reflection 72%            Solar absorption 38%</p>	 <p><b>S120 EXCLUSIVE</b>  <b>S120 AGATE GREY</b>            Solar reflection 41%            Light reflection 41%            Solar absorption 59%</p>
 <p><b>S125</b>  <b>S125 BEIGE</b>            Solar reflection 57%            Light reflection 63%            Solar absorption 43%</p>	 <p><b>S130</b>  <b>S130 GREEN</b>            Solar reflection 58%            Light reflection 65%            Solar absorption 42%</p>	 <p><b>S142</b>  <b>S142 LIGHT BLUE</b>            Solar reflection 65%            Light reflection 69%            Solar absorption 35%</p>
 <p><b>S149</b>  <b>S149 CREAM</b>            Solar reflection 68%            Light reflection 75%            Solar absorption 32%  <i>Standard colour</i></p>	 <p><b>S155</b>  <b>S155 GREY</b>            Solar reflection 42%            Light reflection 48%            Solar absorption 59%</p>	 <p><b>S156</b>  <b>S156 METALLIC SILVER</b>            Solar reflection 65%            Light reflection 62%            Solar absorption 35%</p>
 <p><b>S157</b>  <b>S157 SILVER</b>            Solar reflection 43%            Light reflection 44%            Solar absorption 57%  <i>Standard colour</i></p>	 <p><b>S158</b>  <b>S158 SLATE GREY</b>            Solar reflection 20%            Light reflection 21%            Solar absorption 80%</p>	 <p><b>S159 EXCLUSIVE</b>  <b>S159 ANTHRACITE</b>            Solar reflection 12%            Light reflection 13%            Solar absorption 88%</p>
 <p><b>B160 EXCLUSIVE</b>  <b>B160 BLACK</b>            Solar reflection 4%            Light reflection 4%            Solar absorption 96%</p>	 <p><b>S159 S102 EXCLUSIVE</b>  <b>DUAL COLOUR S159/S102</b>            Solar reflection 12%            Light reflection 13%            Solar absorption 88%</p>	

\*Please consider on south-facing elevations the high solar heat gain during the summer months may result in the glass being too warm to touch. In this case, we recommend a high solar control glass type such as SKN 176 which will reduce but not eradicate the heat. Please bare this in mind when choosing the colour of your Uni-Blinds® especially S158, S159 and B160.

\*\*Colour specifications may be subject to change

## SLIDER COLOUR



## SIDEGUIDE AND HEADRAIL COLOUR



# SV+ SYMMETRICAL SLIDER SYSTEM



Uni-Blinds®

Innovation comes built-in

# SEE THE WORLD IN PERFECT SYMMETRY



Beauty is often defined by symmetry. The balance between left and right can have magnetic appeal, striking an emotional response like no other, giving us a positive feeling of harmony, calm and that everything is just right.

For those of us who prefer life in symmetry there's no need to compromise when choosing your window and door shading solution. With the slick Uni-Blinds® SV+ integrated Venetian blind system you can optimise the framing of your view whilst taking advantage of an innovative control unit.

SV+ offers all the benefits you'd expect with high performance Screenline® integral blinds with the bonus of a magnetic control unit that takes care of all the blind functions in one clever device.

*"Beauty is bound up with symmetry" – Hermann Weyl*

## Why SV+ offers symmetry

The secret to the balanced aesthetics of the SV+ is its sideguides. These slim premium plastic profiles inside the sealed unit replace the need for glass-mounted cords and winders.


SV+ features sideguides on both the left and right edges of the glass in perfect balance. And they are available in three colour options to suit your taste and décor.

The sideguides enable the sliding control mechanism to work. The slider uses powerful magnets to move up and down the sideguide to allow for the blind to be raised and lowered by moving the slider up or down, and tilted by slightly lifting or lowering the same slider.

# BENEFITS OF THE SLIDING VENETIAN +

## A slider-controlled integral Venetian blind which oozes appeal:

- Superior quality and Italian style with Screenline® inside
- Smooth, long lasting functional reliability through a closed-loop belt transmission system
- Safe for everyone thanks to treatment of the external magnetic slider with the Sanitized® patented antibacterial finish
- Warm and energy efficient through patented warm edge spacer bars which maximise energy performance of the insulating glass unit
- Fully compliant with child safety standards
- Simplicity built-in with only one device needed to raise, lower and tilt the blind



# HOW THE SV+ OPERATES

 RAISING

 LOWERING

 TILTING

The SV+ is operated by a cleverly-designed magnetic slider, placed on the right or left-hand edge of the glass. A narrow adhesive transparent profile ensures the linear movement of the slider. The blind is raised and lowered by moving the slider up or down and is tilted by slightly lifting or lowering the same slider.



External Controller  
protected with  
**SANITIZED®**



# ADD A SPLASH OF COLOUR

Our Venetian Uni-Blinds® are designed to match any home. With 14 colours to choose from we're certain there is one perfect for you.

## SLAT COLOUR

 <p><b>S102</b></p>	<p><b>S102 WHITE</b> Solar reflection 70% Light reflection 78% Solar absorption 30% <i>Standard colour</i></p>	 <p><b>S106</b></p>	<p><b>S106 YELLOW</b> Solar reflection 62% Light reflection 72% Solar absorption 38%</p>	 <p><b>S120 EXCLUSIVE</b></p>	<p><b>S120 AGATE GREY</b> Solar reflection 41% Light reflection 41% Solar absorption 59%</p>
 <p><b>S125</b></p>	<p><b>S125 BEIGE</b> Solar reflection 57% Light reflection 63% Solar absorption 43%</p>	 <p><b>S130</b></p>	<p><b>S130 GREEN</b> Solar reflection 58% Light reflection 65% Solar absorption 42%</p>	 <p><b>S142</b></p>	<p><b>S142 LIGHT BLUE</b> Solar reflection 65% Light reflection 69% Solar absorption 35%</p>
 <p><b>S149</b></p>	<p><b>S149 CREAM</b> Solar reflection 68% Light reflection 75% Solar absorption 32% <i>Standard colour</i></p>	 <p><b>S155</b></p>	<p><b>S155 GREY</b> Solar reflection 42% Light reflection 48% Solar absorption 59%</p>	 <p><b>S156</b></p>	<p><b>S156 METALLIC SILVER</b> Solar reflection 65% Light reflection 62% Solar absorption 35%</p>
 <p><b>S157</b></p>	<p><b>S157 SILVER</b> Solar reflection 43% Light reflection 44% Solar absorption 57% <i>Standard colour</i></p>	 <p><b>S158</b></p>	<p><b>S158 SLATE GREY</b> Solar reflection 20% Light reflection 21% Solar absorption 80%</p>	 <p><b>S159 EXCLUSIVE</b></p>	<p><b>S159 ANTHRACITE</b> Solar reflection 12% Light reflection 13% Solar absorption 88%</p>
 <p><b>B160 EXCLUSIVE</b></p>	<p><b>B160 BLACK</b> Solar reflection 4% Light reflection 4% Solar absorption 96%</p>	 <p><b>S159 S102 EXCLUSIVE</b></p>	<p><b>DUAL COLOUR S159/S102</b> Solar reflection 12% Light reflection 13% Solar absorption 88%</p>		

\*Please consider on south-facing elevations the high solar heat gain during the summer months may result in the glass being too warm to touch. In this case, we recommend a high solar control glass type such as SKN 176 which will reduce but not eradicate the heat. Please bare this in mind when choosing the colour of your Uni-Blinds® especially S158, S159 and B160.

\*\*Colour specifications may be subject to change

## SLIDER COLOUR



## SIDEGUIDE AND HEADRAIL COLOUR



# C SYSTEM MANUAL CONTROL



Uni-Blinds®

Innovation comes built-in

# LIGHT & SHADE MADE EASY



The Corded Uni-Blind is a patented magnetic system enabling the manual operation of Venetian blinds incorporated within the 20, 22, 27 or 29mm cavity of insulating glass units. With this system, the slat raising, lowering and tilting function is achieved using a rotational magnetic transmission through the glass, thereby guaranteeing the double-glazed unit's hermetic seal. Two set of magnets work together to provide this functionality – one is inserted in the blind head rail within the cavity and the other applied to the external glass surface.

## Be in full control of the light in your home

A continuous cord loop drives the external magnet, which controls the raising and lowering of the blind. The cord is held lightly under tension by a cord tensioner and fully complies with the British Blind and Shutter Association – 'Make it Safe' campaign.



**make it  
safe**

# BENEFITS OF THE CORDED SYSTEM

## Simple, elegant, corded blinds

- Suitable for all vertical window applications
- Ideal solution for conservatory shading
- Total privacy and light control for sliding or bi-fold doors
- Enables excellent utilisation of partitioned office space requiring privacy
- Suitable for retro installation into existing frames



# HOW THE C SYSTEM OPERATES

^ RAISING

v LOWERING

⌵ TILTING

There are several different ways that Uni-Blinds® Venetian blinds can be operated using the C System. They are all equally reliable and smooth so the choice is really down to how the blinds will be used and personal preference.



## Cord

With the cord mechanism, the slat raising, lowering, and tilting function is achieved using a rotational magnetic transmission through the glass. This is taken care of by one set of magnets inserted in the blind head rail within the cavity and the other applied to the external glass surface.



## Wand

The wand mechanism comprises a small pole attached at the top to the room-facing pane of the double glazed unit. It is twisted to open and close the blind just like traditional Venetian blinds. Please note that wand operation can only function to tilt the blind and cannot be used to raise the blinds completely.



## Rotational Knob

A stylish rotational knob mechanism is recommended for tilt-only Uni-Blinds® where a clean window or door's appearance is sought, free of the obstruction of a cord or wand down the glass unit. The rotational knob enables the opening and closing of the Venetian blind in a smooth, easy to use motion.

# ADD A SPLASH OF COLOUR

Our Venetian Uni-Blinds® are designed to match any home. With 14 colours to choose from we're certain there is one perfect for you.

## SLAT COLOUR

 <p><b>S102</b></p>	<p><b>S102 WHITE</b> Solar reflection 70% Light reflection 78% Solar absorption 30% <i>Standard colour</i></p>	 <p><b>S106</b></p>	<p><b>S106 YELLOW</b> Solar reflection 62% Light reflection 72% Solar absorption 38%</p>	 <p><b>S120 EXCLUSIVE</b></p>	<p><b>S120 AGATE GREY</b> Solar reflection 41% Light reflection 41% Solar absorption 59%</p>
 <p><b>S125</b></p>	<p><b>S125 BEIGE</b> Solar reflection 57% Light reflection 63% Solar absorption 43%</p>	 <p><b>S130</b></p>	<p><b>S130 GREEN</b> Solar reflection 58% Light reflection 65% Solar absorption 42%</p>	 <p><b>S142</b></p>	<p><b>S142 LIGHT BLUE</b> Solar reflection 65% Light reflection 69% Solar absorption 35%</p>
 <p><b>S149</b></p>	<p><b>S149 CREAM</b> Solar reflection 68% Light reflection 75% Solar absorption 32% <i>Standard colour</i></p>	 <p><b>S155</b></p>	<p><b>S155 GREY</b> Solar reflection 42% Light reflection 48% Solar absorption 59%</p>	 <p><b>S156</b></p>	<p><b>S156 METALLIC SILVER</b> Solar reflection 65% Light reflection 62% Solar absorption 35%</p>
 <p><b>S157</b></p>	<p><b>S157 SILVER</b> Solar reflection 43% Light reflection 44% Solar absorption 57% <i>Standard colour</i></p>	 <p><b>S158</b></p>	<p><b>S158 SLATE GREY</b> Solar reflection 20% Light reflection 21% Solar absorption 80%</p>	 <p><b>S159 EXCLUSIVE</b></p>	<p><b>S159 ANTHRACITE</b> Solar reflection 12% Light reflection 13% Solar absorption 88%</p>
 <p><b>B160 EXCLUSIVE</b></p>	<p><b>B160 BLACK</b> Solar reflection 4% Light reflection 4% Solar absorption 96%</p>	 <p><b>S159 S102 EXCLUSIVE</b></p>	<p><b>DUAL COLOUR S159/S102</b> Solar reflection 12% Light reflection 13% Solar absorption 88%</p>		

\*Please consider on south-facing elevations the high solar heat gain during the summer months may result in the glass being too warm to touch. In this case, we recommend a high solar control glass type such as SKN 176 which will reduce but not eradicate the heat. Please bare this in mind when choosing the colour of your Uni-Blinds® especially S158, S159 and B160.


\*\*Colour specifications may be subject to change

## CORD MECHANISM COLOUR



## HEADRAIL COLOUR

\*Headrail colour to match blind slat, excluding S120, S158, and dual colour.



# PLEATED BLACKOUT SYSTEM



Uni-Blinds®

Innovation comes built-in

# DARKNESS ON DEMAND



Sometimes only complete darkness will do. So, if getting a proper sleep or enjoying your favourite TV or movies in all their glory is proving difficult, external light pollution is probably the problem.

Maybe you have bright streetlights close to your home or you're faced with the nuisance of headlights from passing cars right through the night. You might even be a shift or emergency services worker who needs to sleep during the day... whatever your situation, you'll find that standard curtains or blinds can never block out unwanted light completely.

The Uni-Blinds® pleated blackout system with Screenline® inside provides the dependable solution. Encapsulated completely within the double glazed unit, this integral blind prevents light transmission through an advanced blind fabric, as well as light 'bleed' around the edges and cords. The fabric has a high thermal resistance too which means it will help to keep a room cool in summer months.

This makes the pleated blackout blind perfect for bedrooms, nurseries, home cinema rooms and any room where unwanted light is a nuisance. It is also ideal for commercial applications, such as laboratories, museums or teaching facilities where too much light pollution can result in costly consequences.

# BENEFITS OF PLEATED BLACKOUT BLINDS

**A pleated integral blind that delivers complete darkness when you need it:**

- Great solution for nightshift workers who need daytime darkness to sleep
- Superior quality and Italian styling with Screenline® inside
- Smooth, long lasting functional reliability with no need for cleaning
- Warm and energy efficient through patented warm edge spacer bars which maximise energy performance of the insulating glass unit
- Fully compliant and affiliated with RoSPA safety standards
- Suitable for a wide range of windows and doors
  - Uni-Blinds exclusive in the UK



# HOW TO OPERATE PLEATED BLACKOUT SYSTEM

CORD CONTROL



S SLIDER



External Controller  
protected with  
**SANITIZED®**



# ADD A SPLASH OF COLOUR

The beauty of Uni-Blinds® pleated blackout blinds with Screenline® inside is that the blind doesn't have to be black. You can choose from a range of colours to match your décor whatever your style.

## FABRIC COLOUR



## CORD COLOUR



## 'S' SLIDER COLOUR



# MB SYSTEM TOTALLY AUTOMATED



Uni-BlinDs®

Innovation comes built-in

# INNOVATION COMES BUILT IN



The MB System is a motorised blind system for Venetian blinds featuring an internal motor integrated within the blind headrail and a micro-control unit, plus encoder. This technology allows for the simultaneous synchronised movements of groups of blinds across a window or door or an entire room. The system's electric brushless motor represents a significant improvement on previous electrical systems used for the raising/lowering and tilting of integral Venetian blinds.

## Control at your fingertips

The motorised blind features a unique control box which eliminates installation issues and provides an aesthetically pleasing solution for control at your fingertips. The control boxes are supplied pre-wired and fully tested for a smooth, problem-free installation. No other control device is applied on the glass or window frame as the motor is activated by means of wall-mounted push buttons, a remote control or via any home automation system. Manufactured from high quality materials, coupled with the purity of aesthetic appearance and technical excellence, the MB System is particularly suited to prestigious projects, especially the exclusive contemporary domestic market.

# BENEFITS OF THE MB UNI-BLIND

**A remote-controlled integral Venetian blind which oozes appeal:**

- Brushless motor, offering a next-generation performance versus previous electrical systems.
- Simultaneous and synchronised operation of several blinds
- Allows for accurate tilting of slats
- Can be integrated with all leading home automation systems
- Available for use in 20, 22, 27 and 29mm cavities



# HOW THE MOTORISED SYSTEM OPERATES



There are three options for operating the MB System which can be configured to suit:

## Remote control

A simple handheld device with intuitive controls.

## Wall mounted controls

An elegantly designed unit that can be positioned close to the window or door with no wires visible.

## Integrated into a home automation system

Perfect for smart homes so the blinds can be controlled from any smartphone.



Within the blind unit is a super-quiet brushless motor which raises and lowers the blind smoothly, as well as tilting the slats.

The motor is activated by a control unit which is compatible with all main Building Management Systems. This enables the operation of several blinds and the accurate tilting of the slats across the width of the window or door to deliver the perfect look.

The motor and the entire electronic blind management system are positioned within the headrail, on a specially designed component that reduces vibrations, thus making the system very silent.

# ADD A SPLASH OF COLOUR

Our Venetian Uni-Blinds® are designed to match any home. With 14 colours to choose from we're certain there is one perfect for you.

## SLAT COLOUR

 <p><b>S102</b> Solar reflection 70% Light reflection 78% Solar absorption 30% <i>Standard colour</i></p>	 <p><b>S106 YELLOW</b> Solar reflection 62% Light reflection 72% Solar absorption 38%</p>	 <p><b>S120 AGATE GREY</b> Solar reflection 41% Light reflection 41% Solar absorption 59%</p>
 <p><b>S125 BEIGE</b> Solar reflection 57% Light reflection 63% Solar absorption 43%</p>	 <p><b>S130 GREEN</b> Solar reflection 58% Light reflection 65% Solar absorption 42%</p>	 <p><b>S142 LIGHT BLUE</b> Solar reflection 65% Light reflection 69% Solar absorption 35%</p>
 <p><b>S149 CREAM</b> Solar reflection 68% Light reflection 75% Solar absorption 32% <i>Standard colour</i></p>	 <p><b>S155 GREY</b> Solar reflection 42% Light reflection 48% Solar absorption 59%</p>	 <p><b>S156 METALLIC SILVER</b> Solar reflection 65% Light reflection 62% Solar absorption 35%</p>
 <p><b>S157 SILVER</b> Solar reflection 43% Light reflection 44% Solar absorption 57% <i>Standard colour</i></p>	 <p><b>S158 SLATE GREY</b> Solar reflection 20% Light reflection 21% Solar absorption 80%</p>	 <p><b>S159 ANTHRACITE</b> Solar reflection 12% Light reflection 13% Solar absorption 88%</p>
 <p><b>B160 BLACK</b> Solar reflection 4% Light reflection 4% Solar absorption 96%</p>	 <p><b>DUAL COLOUR S159/S102</b> Solar reflection 12% Light reflection 13% Solar absorption 88%</p>	

\*Please consider on south-facing elevations the high solar heat gain during the summer months may result in the glass being too warm to touch. In this case, we recommend a high solar control glass type such as SKN 176 which will reduce but not eradicate the heat. Please bare this in mind when choosing the colour of your Uni-Blinds® especially S158, S159 and B160.

\*\*Colour specifications may be subject to change

## REMOTE CONTROL COLOUR



## HEADRAIL COLOUR

\*Headrail colour to match blind slat, excluding S120, S158, and dual colour.

\* Wall switch optional



# W SMART SOLAR CONTROL



# INNOVATION COMES BUILT IN



Wire-free solar powered, eco-friendly simplicity is at the heart of the advanced W Smart system with ScreenLine® inside. This system enables a Venetian blind encapsulated within a double-glazed unit to be raised, lowered and slat tilted via a single control device attached to the window, or by remote control. Suitable for both residential and commercial environments, W Smart is sleek, maintenance-free and available for Uni-Blinds® integral blinds within 20, 22, 27 or 29mm cavities.

## Why choose the W Smart?

W Smart is perfect for sustainable homes and commercial properties. It combines the latest innovations in ecological Italian design with the long term reliability and superb build quality that defines every ScreenLine® system. The carbon-saving motorised blinds feature a smooth and quiet 3.6V motor, powered by a solar power charged lithium-ion battery, for use any time of the day or night. They are easy to operate too thanks to an intuitive touch control unit complete with LED illuminated arrows and low-battery indicator.

# BENEFITS OF THE W SMART

## A remote-controlled integral Venetian blind which oozes appeal:

- Streamlined installation procedure
- No need for an electrician to install
- Energy saving
- For 20, 22, 27 and 29mm cavities, in Venetian Uni-Blinds®
- Touch control keys
- Radio remote control supplied as standard
- Batteries can also be recharged by means of a micro-USB connector
- Compact battery module, developed in co-operation with design specialists



# HOW THE W SMART OPERATES

 RAISING

 LOWERING

 TILTING



## Light control

Provides high solar protection, privacy and excellent light control.

## Wide range

Available for Venetian for 20, 22, 27 and 29mm insulating glass units.

## W Smart control system

In W (Wireless) Smart systems, blinds are raised and lowered by a control device which allows light and heat gains to be adjusted with ease. A user-friendly, versatile and energy-saving system, its power comes from an externally mounted solar panel and it is guaranteed to provide excellent shading performance.

External Controller  
protected with  
**SANITIZED®**



# ADD A SPLASH OF COLOUR

Our Venetian Uni-Blinds® are designed to match any home. With 14 colours to choose from we're certain there is one perfect for you.

## SLAT COLOUR

 <p><b>S102</b> <b>S102 WHITE</b> Solar reflection 70% Light reflection 78% Solar absorption 30% <i>Standard colour</i></p>	 <p><b>S106</b> <b>S106 YELLOW</b> Solar reflection 62% Light reflection 72% Solar absorption 38%</p>	 <p><b>S120 EXCLUSIVE</b> <b>S120 AGATE GREY</b> Solar reflection 41% Light reflection 41% Solar absorption 59%</p>
 <p><b>S125</b> <b>S125 BEIGE</b> Solar reflection 57% Light reflection 63% Solar absorption 43%</p>	 <p><b>S130</b> <b>S130 GREEN</b> Solar reflection 58% Light reflection 65% Solar absorption 42%</p>	 <p><b>S142</b> <b>S142 LIGHT BLUE</b> Solar reflection 65% Light reflection 69% Solar absorption 35%</p>
 <p><b>S149</b> <b>S149 CREAM</b> Solar reflection 68% Light reflection 75% Solar absorption 32% <i>Standard colour</i></p>	 <p><b>S155</b> <b>S155 GREY</b> Solar reflection 42% Light reflection 48% Solar absorption 59%</p>	 <p><b>S156</b> <b>S156 METALLIC SILVER</b> Solar reflection 65% Light reflection 62% Solar absorption 35%</p>
 <p><b>S157</b> <b>S157 SILVER</b> Solar reflection 43% Light reflection 44% Solar absorption 57% <i>Standard colour</i></p>	 <p><b>S158</b> <b>S158 SLATE GREY</b> Solar reflection 20% Light reflection 21% Solar absorption 80%</p>	 <p><b>S159 EXCLUSIVE</b> <b>S159 ANTHRACITE</b> Solar reflection 12% Light reflection 13% Solar absorption 88%</p>
 <p><b>B160 EXCLUSIVE</b> <b>B160 BLACK</b> Solar reflection 4% Light reflection 4% Solar absorption 96%</p>	 <p><b>S159 S102 EXCLUSIVE</b> <b>DUAL COLOUR S159/S102</b> Solar reflection 12% Light reflection 13% Solar absorption 88%</p>	

\*Please consider on south-facing elevations the high solar heat gain during the summer months may result in the glass being too warm to touch. In this case, we recommend a high solar control glass type such as SKN 176 which will reduce but not eradicate the heat. Please bare this in mind when choosing the colour of your Uni-Blinds® especially S158, S159 and B160.

\*\*Colour specifications may be subject to change

## BATTERY MODULE COLOUR



## HEADRAIL COLOUR

\*Headrail colour to match blind slat, excluding S120, S158, and dual colour.

